

Automatic Casting Inspection

XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00



THE X-RAY SOLUTION



by Christoph Grohmann

Automatic Casting Inspection

No matter, if your parts are small, middle or large sized, no matter, if your parts are for cars, trucks or motorcycles -

THIS XC01-1100 HANDLES ALL.

The carrier concept with a diameter of 1100 mm allows single part loading as well as multiple loading at the time.



Parts Parameters

- ✓ Casting part size up to 1000 mm
- ✓ Part height max. 500 mm
- ✓ Part weight max. 120 kg
- ✓ Max. material thickness 120 mm

XC01-1100 is designed for fully automated and inline processed inspection of aluminium parts. The system reaches its high level of functionality while being compact with a small footprint. The combined features make **XC01-1100** a unique inspection system accepted by quality standards of car manufacturers worldwide.

XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00

THE X-RAY SOLUTION

by Christoph Grohmann







Automatic Casting Inspection

Thanks to its C-Frame technology, **XC01-1100** reaches all necessary inspection areas without any dead-zones. High performed fully controlled servo axes makes it one of the fastest inline casting inspection systems. Based on integrated automatic type recognition, **XC01-1100** can be used for different casting parts without any delays. When production changes to a different product, the product specific inlet plate has to be replaced within extremely short time.

XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00



THE X-RAY SOLUTION

by Christoph Grohmann



Automatic Casting Inspection

ADR Software


The user interface of the ADR software is structured very straightforward, and a lot of visual tools support the user setting of a specific inspection program within short time and in an intuitive and easy to learn fashion.

The human machine interface is designed according to the rules of ergonomic workplaces and is to be used for regular operation as well as teach-in process.

Especially during teach-in process the operator needs a good view into the machine and onto the parts while it is being moved into the specific positions.

Special Features

- ✓ Manual, Semi-Auto and Automatic Mode
- ✓ Automatic Image Quality Check
- ✓ Automatic Positioning Correction
- ✓ Zooming
- ✓ ASTM Reference



THE X-RAY SOLUTION



by Christoph Grohmann

XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00

Automatic Casting Inspection

General Features

- ✓ Fully automated Inline System
- ✓ Brilliant Image Quality
- ✓ 160 kV X-ray System
- ✓ Digital Flat Panel, 300x300 mm, 145μ
- ✓ C-frame with tilting +/- 45°
- ✓ Automatic Type Recognition
- ✓ Automatic Defect Recognition - ADR
- ✓ Throughput of up to 6000 parts/day

Special Features included


- ✓ Surveillance Cams and Tele-maintenance
- ✓ Re-check and Sampling
- ✓ Auto Image Quality Check for Sensitivity, Resolution and Step-Wedge
- ✓ Automatic Shutter System
- ✓ Statistical Database
- ✓ Ergonomic Operator Seat
- ✓ Vacuum Cleaner

Technical Data

- ✓ Dimension: 5444 x 3809 x 2200 mm (LWH)
- ✓ Weight: 8.8 metrical tons
- ✓ 3P~/N/PE, 400V, 50/60Hz, 20A

Options

- Automatic Mold Recognition
- Casting Deck Alarming System
- NOK Ink Marking
- Needle Printing Unit
- DMC Reader
- Robot Handling
- OK / NOK Separation
- 225kV / 320kV / 450kV
- Flat Panel 430x430 mm



XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00

THE X-RAY SOLUTION

by Christoph Grohmann



Automatic Casting Inspection

Our Commitment

- ✓ Highest Level of German Machine Design and Quality
- ✓ World-class Components like Siemens PLC and PC, SEW
- ✓ System Concept: immediate ready to use
- ✓ Industry 4.0
- ✓ TUV Approval Certificate
- ✓ 2 Years Guaranty
- ✓ Service Contract with 24/7 Support
- ✓ Sustainability



ASK FOR DETAILED PERFORMANCE LIST
XC01-1100 AND QUOTE

FOR MORE INFORMATION, PLEASE CONTACT
contact@thexraysolution.de

XC01-1100

Doc: Product Info Sheet XC01-1100 Rev00

THE X-RAY SOLUTION

by Christoph Grohmann



Contact Addresses



Visit our Website



Disclaimer

All names and logos in this presentation are trademarks of **THE X-RAY SOLUTION GmbH & Co. KG**, Germany.
All rights reserved. © by **THE X-RAY SOLUTION GmbH & Co. KG**, Germany 2023