# (C01-130(



THE X-RAY SOLUTION by Christoph Grohmann

No matter, if your parts are small, middle or large sized, no matter, if your parts are for cars, trucks or motorcycles -

### 01-1300 HAND

The carrier concept with a diameter of 1300 mm allows single part loading as well as multiple loading at the time.

# **Parts Parameters**

- ✓ Casting part size up to 1200 mm
- ✓ Part height max. 500 mm
- ✓ Part weight max. 120 kg
- ✓ Max. material thickness 120 mm

**XC01-1300** is designed for fully automated and inline processed inspection of aluminium parts. The system reaches its high level of functionality while being compact with a small footprint. The combined features make XC01-1300 a unique inspection system accepted by quality standards of car manufacturers worldwide.

THE X-RAY SOLUTION toph Grohmann


THE X-RAY SOLUTION

Thanks to its C-Frame technology, **XC01-1300** reaches all necessary inspection areas without any dead-zones. High performed fully controlled servo axes makes it one of the fastest inline casting inspection systems.

Based on integrated automatic type recognition, **XC01-1300** 

can be used for different casting parts without any delays.
When production changes to a different product, the product specific inlet plate has to be replaced within extremely short time.

XC01-130 Rev00





THE X-RAY SOLUTION by Christoph Grohmann

### **ADR Software**


The user interface of the ADR software is structured very straightforward, and a lot of visual tools support the user setting of a specific inspection program within short time and in an intuitive and easy to learn fashion.

The human machine interface is designed according to the rules of ergonomic workplaces and is to be used for regular operation as well as teach-in process.

Especially during teach-in process the operator needs a good view into the machine and onto the parts while it is being moved into the specific positions.

# **Special Features**

- ✓ Manual, Semi-Auto and Automatic Mode
- ✓ Automatic Image Quality Check
- ✓ Automatic Positioning Correction
- ✓ ASTM Reference



THE X-RAY SOLUTION

toph Grohmann

✓ Zooming

### **General Features**

- ✓ Fully automated Inline System
- ✓ Brilliant Image Quality
- √ 160 kV X-ray System
- ✓ Digital Flat Panel, 300x300 mm, 145µ
- ✓ C-frame with tilting +/- 45°
- ✓ Automatic Type Recognition
- ✓ Automatic Defect Recognition ADR
- ✓ Throughput of up to 6000 parts/day

# **Special Features included**

- ✓ Surveillance Cams and Tele-maintenance
- ✓ Re-check and Sampling
- ✓ Auto Image Quality Check for Sensitivity, Resolution and Step-Wedge
- ✓ Automatic Shutter System
- ✓ Statistical Database
- ✓ Ergonomic Operator Seat
- ✓ Vacuum Cleaner

# **Options**

Automatic Mold Recognition
Casting Deck Alarming System
NOK Ink Marking
Needle Printing Unit
DMC Reader
Robot Handling
OK / NOK Separation
225kV / 320kV / 450kV
Flat Panel 430x430 mm

# **Technical Data**

- ✓ Dimension: 6328 x 4313 x 2200 mm (LWH)
- ✓ Weight: 9.8 metrical tons
- ✓ 3P~/N/PE, 400V, 50/60Hz, 20A



THE X-RAY SOLUTION by Christoph Grohmann

# **Our Commitment**

- ✓ Highest Level of German Machine Design and Quality
- ✓ World-class Components like Siemens PLC and PC, SEW
- ✓ System Concept: immediate ready to use
- ✓ Industry 4.0
- ✓ TUV Approval Certificate
- ✓ 2 Years Guaranty
- Service Contract with 24/7 Support





FOR MORE INFORMATION, PLEASE CONTACT contact@thexraysolution.de



THE X-RAY SOLUTION toph Grohmann

### **Contact Addresses**



### **Visit our Website**



