





The XC02-700 is equipped with a same-side In/Out roller conveyor to run product carriers in and out for inspection.


With its 160 kV X-ray source and a digital flat panel with pixel size of 145 micron it is an excellent offline system for a high diversity of casting parts.

The carrier concept with a diameter of 700 mm allows single part loading as well as multiple loading at the time -

THIS XC02-700 HANDLES ALL.

#### **Parts Parameters**

- ✓ Casting size up to 600 mm
- ✓ Part height max. 280 mm
- ✓ Part weight max. 60 kg





THE X-RAY SOLUTION by Christoph Grohmani



Thanks to its C-Frame technology, XC02-700 reaches all necessary inspection areas without any dead-zones. High performed fully controlled servo axes makes it one of the fastest offline inspection system.

Based on integrated automatic type recognition, XC02-700 can be used for different products without any delays. When production changes to a different product, the product specific inlet plate can be replaced within extremely short time. Integrated touch-pads allow real-time manipulation of all axis during teach-in and regular operation.






THE X-RAY SOLUTION by Christoph Grohmann

#### **ADR Software**

The user interface of the ADR software is structured very straightforward, and a lot of visual tools support the user setting of a specific inspection program within short time and in an intuitive and easy to learn fashion.


The human machine interface is designed according to the rules of ergonomic workplaces and is to be used for regular operation as well as teach-in process.

Especially during teach-in process the operator needs a good view into the machine and onto the products while it is being moved into the specific positions.



#### **Special Features**

- ✓ Manual, Semi-Auto and Automatic Mode
- ✓ Automatic Image Quality Check
- ✓ Automatic Positioning Correction
- ✓ Zooming
- ✓ ASTM Reference





XC02-/00

#### **General Features**

- ✓ Fully automated Offline System
- ✓ Brilliant Image Quality
- ✓ 160 kV X-ray System
- ✓ Digital Flat Panel, 300x300 mm, 145µ
- ✓ C-frame with tilting +/- 45°
- ✓ Automatic Type Recognition
- ✓ Automatic Defect Recognition ADR
- ✓ Throughput of up to 4000 parts/day

#### **Special Features included**

- ✓ Integrated Touch-Pads
- ✓ Re-check and Sampling
- ✓ Surveillance Cams and Tele-maintenance
- ✓ Auto Image Quality Check for Sensitivity, Resolution and Step-Wedge
- ✓ Automatic Shutter System
- ✓ Statistical Database
- ✓ Ergonomic Operator Seat
- ✓ Vacuum Cleaner

#### **Options**

NOK Ink Marking
Robot Handling
OK / NOK Separation
DMC Reader

Flat Panel 430x430 mm



#### **Technical Data**

- ✓ Dimension: 4097 x 1750 x 2063 mm (LWH)
- ✓ Weight: 3.25 metrical tons
- ✓ 3P~/N/PE, 400V, 50/60Hz, 18A



THE X-RAY SOLUTION by Christoph Grohmann

#### **Our Commitment**

- ✓ Highest Level of German Machine Design and Quality
- ✓ World-class Components like Siemens PLC and PC, SEW
- ✓ System Concept: immediate ready to use
- ✓ Industry 4.0
- ✓ TUV Approval Certificate
- √ 2 Years Guaranty
- ✓ Service Contract with 24/7 Support
- ✓ Sustainability





# ASK FOR DETAILED PERFORMANCE LIST XC02-700 AND QUOTE

FOR MORE INFORMATION, PLEASE CONTACT contact@thexraysolution.de



THE X-RAY SOLUTION by Christoph Grohmann

#### **Contact Addresses**



#### **Visit our Website**



